| | Application No. | Applicant(s) |
|--|---|---|
| Notice of Allowability | 10/594,198 | HAUSER ET AL. |
| | Examiner | Art Unit |
| | JENNIFER L. HORNBERGER | 3734 |
| The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 | (OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to | oplication. If not included n will be mailed in due course. THIS |
| 1. This communication is responsive to the amendment filed 09/18/2009. | | |
| 2. The allowed claim(s) is/are <u>18-21,23-25,28,31-33 and 35</u> . | | |
| Acknowledgment is made of a claim for foreign priority una | been received. been received in Application No cuments have been received in this of this communication to file a reply | national stage application from the |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 5. Notice of Informal F 6. Interview Summary Paper No./Mail Da 7. Examiner's Amend 8. Examiner's Statem 9. Other | / (PTO-413), ate <u>20091223</u> . |

Application/Control Number: 10/594,198 Page 2

Art Unit: 3734

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Hauser on 12/23/2009.

The application has been amended as follows:

In claim 28, line 6: after "breaking apart" please delete -- "the"--

In claim 28, line 7: please change "particle" to "particles"

In claim 28, line 7: before ", and" insert -- captured within the filter body --

Please cancel claim 34.

- 2. The following is an examiner's statement of reasons for allowance:
- 3. Claims 18, 19, 31, and 33 are allowable because none of the prior art teaches or fairly suggests a rotatable drive mechanism adapted to contact and mechanically engage the an implantable agitation member for causing the agitation member to rotate relative to an implantable filter body to break apart particles captured in the filter, the drive member configured to be advanced through the blood vessel for releasable attachment to the agitation member after the agitation member and filter have been implanted in a blood vessel in combination with the rest of the claimed limitations.
- 4. Claims 20, 21, 23, and 32 are allowable because none of the prior art teaches or fairly suggests a flow-receiving member coupled to an implantable agitation member which is adapted to break apart particles captured within an implantable filter body, wherein the flow receiving member is shaped to be powered by blood flowing through the vessel for causing the

agitation member to rotate relative to the filter to break apart the captured particles in combination with the rest of the claimed limitations.

- 5. Claims 24, 25, and 35 are allowable because none of the prior art teaches or fairly suggests an implantable energy storage device coupled to an implantable agitation member for rotating the agitation member with respect to an implantable filter body to macerate emboli captured in the filter in combination with the rest of the claimed limitations.
- 6. Claim 28 is allowable because none of the prior art teaches or fairly suggests a battery directly coupled to an implantable filter body to power an implantable agitation member which is movably coupled to the filter body and configured to vibrate at ultrasonic frequencies to break apart particles captured in the filter in combination with the rest of the claimed limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JENNIFER L. HORNBERGER whose telephone number is (571)270-3642. The examiner can normally be reached on Monday through Friday from 8am-5pm, Eastern time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Todd Manahan can be reached on (571)272-4713. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/594,198 Page 4

Art Unit: 3734

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the

automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

jlh 12/23/2009

/Anhtuan T. Nguyen/ Supervisory Patent Examiner, Art Unit 3731 12/24/2009